



*With Pure, store your wine...  
naturally*

*A range of wine cabinets which help to care for the environment  
Elegant design helping the cabinet to blend in with any interior  
Three different temperature options for wine storage adapted to your needs*



*Recommended by John Euvrard  
Meilleur Ouvrier de France  
Wine stewarding*

EUROCAVE 

## Power consumption

A range of low energy wine cabinets, which help to care for the environment



- Up to 64% less energy consumed compared to a traditional cabinet\*
- Low noise levels

\* Cabinet from the Collection range.



## Protection

A range specially designed for multiple use

- 1-temperature cabinets recreate the exact conditions found in a natural cellar by meeting the 5 criteria essential for storing wine:
  - A uniform temperature which is constant thanks to the dual Hot/Cold control (temperature gradient +/- 0.5°C).
  - Suitable humidity levels thanks to the Hygro + system and dimpled aluminium walls
  - A permanent ventilation system ensured by breather effect
  - Protection from UV rays guaranteed for the solid door or glass door with highly effective UV screening
  - Protection from vibrations thanks to the compressor being isolated from the cabinet body
- Wine serving cabinets offer up to 10 temperature zones (temperature graduated from 5 to 22°C / 41 to 72°F and allow you to store several types of wine (rosé, white, red) in the same cabinet at an ideal serving temperature.
- 3-temperature cabinets have separate temperature zones: 1 zone for storing wine (10-14°C / 50-57°F), 1 chilling compartment at the bottom (9-15°C / 48-59°F) and 1 compartment at the top for serving red wine at the correct temperature (15-22°C / 59 à 72°F).

### EuroCave technology




- **“Twin Process” technology:**  
Temperature controlled to the nearest 10th of a degree.
- **Exclusive humidity management:** humidity level automatically displayed
- **Constant monitoring:**  
Visual and audible alarms to ensure peace of mind

## Elegant, personalised cabinets

A choice of finishes to allow your cabinet to complement any interior!



3 cabinet sizes able to store 74 - 234 bottles



Panel colour



Buffle  
Nero (mat black)



A choice of attractive claddings



Stainless steel<sup>1</sup> / Crocodile grain leather<sup>2</sup> in brown or black / Ostrich grain leather in black



UV-free lighting as standard to enhance your bottles.

patented model



### 5 types of door

Black Piano / Full Glass / Glass / Silver glass / Stainless steel glass<sup>1</sup>



### A handle with a glass finish<sup>3</sup>

Detachable handle  
Easy to fasten



### A strong lock<sup>3</sup>

A dual action lock for increased security




As a “Premium” optional extra, a strip of light bathes the entire cabinet body in a halo of amber.

## Outstanding storage flexibility!

Standard or Premium equipment offers you a very wide choice of layouts to suit your storage requirements.

### 1 / Standard equipment which allows you to easily...

... organise, store, display...



... thanks to the



*Sliding shelves*  
up to 12 bottles



*storage shelves*  
up to 77 bottles



*display shelves*  
up to 32 bottles

*The space between the shelves is designed to protect your bottle labels, especially those of Champagne bottles.*

### 2 / "Premium" equipment available as an optional extra

- Sliding or storage shelves designed for improved appearance and fluidity of use

*Soft-close device*  
INCORPORATED INTO EACH  
SLIDING SHELF, IT ALLOWS QUIET,  
SMOOTH HANDLING

- The possibility of choosing your shelf front according to your preference: glossy black or light oak



- Detachable labels in epoxy-coated steel allow you to easily identify your bottles. Up to 6 labels per shelf. White felt-tip pen supplied (erasable).



patented design

### The new generation Main du Sommelier

This structure in two materials cradles your bottles and protects them from vibration. It is detachable, allowing it to adapt to your storage requirements in terms of bottle shape and number.

The Main du Sommelier allows easy placement of your bottles. User-friendly, your bottles will easily fit into place.



# Energy and technical features

Ref.	Dimensions <sup>1</sup>	Weight when empty <sup>1</sup>	Bottle capacity <sup>2</sup>			Energy efficiency class <sup>1</sup>	Annual energy consumption	Useful volume	Sound Emission		Permitted temperature range <sup>1</sup>	
			HxWxD (mm)	(kg)	Access <sup>3</sup>				Premium <sup>3</sup>	Maximum <sup>3</sup>	AEc <sup>4</sup> (Kwh/year)	(liters)
						R600a		R134a	R600a	°C	°F	
1-temperature												
V-PURE-L	1825 x 680 x 715	89	215	182	234	A+	128	445	38	37	0-35	32-95
V-PURE-M	1480 x 680 x 715	75	166	141	168	A+	121	340	38	37	0-35	32-95
V-PURE-S	960 x 680 x 715	56	92	74	92	A+	114	210	38	37	0-35	32-95
Multi-temperature												
S-PURE-L	1825 x 680 x 715	87	215	182	234	A+	128	460	38	37	12-30	54-86
S-PURE-M	1480 x 680 x 715	73	166	141	168	A+	121	355	38	37	12-30	54-86
S-PURE-S	960 x 680 x 715	54	92	74	92	A+	114	225	38	37	12-30	54-86
3-temperature												
E-PURE-L	1825 x 680 x 715	96	192	165	209	A+	128	450	38	37	12-30	54-86
E-PURE-M	1480 x 680 x 715	82	135	137	155	A+	121	345	38	37	12-30	54-86

Category of all the models: 2. – Climate class: Our appliances are designed to be used at an ambient temperature of 10°C - 32°C. (Class SN) – These models cannot be flush-fitted.

1- Data calculated using a high gloss black door. 2- Cabinet capacities are calculated using traditional Bordeaux bottles. 3- Access pack: mixed, sliding and fixed shelves - Premium pack: 100% sliding. 4- Energy consumption calculated using a high gloss black door based on the results obtained over 24 hrs in standard test conditions (25°C). Actual energy consumption depends on operating conditions and the appliance's location.

## Control

Temperature setting range possible:

- 1-temperature: 5 - 20°C / 41 - 68°F
- Multi-temperature: 5 - 22°C / 41 - 77°F
- 3 temperature: 9 - 22°C / 48 - 77°F

LED screen with touch sensitive keys

Electronic internal setting and display

Humidity display

Alarms in case of malfunction\*

## Equipment

Interior lighting

(3 lighting options: permanent, activated upon opening, disabled)

Active charcoal filter with meter

Adjustable front feet

Lock

Thermal insulation (polyurethane foam)



BVCert. 6010761  
label certifying that a  
product is of French  
origin